



DENVER WATER vigilantly safeguards its mountain water supplies, and before the water reaches your tap, we carefully filter and treat it. This brochure compiled from data collected in 2001 is a look at how Denver Water continues to provide you with a safe, dependable water supply. In the photo, one of the destinations of our water is Ferril Lake in City Park.

Visit us online at www.denverwater.org

Healthy notions

Chlorie

ALL DRINKING WATER, including bottled water, might reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. Immunocompromised individuals - such as persons with organ transplants, those with HIV-AIDS or other immune system disorders, and some elderly and infants can be particularly at risk of infections. These people should seek advice about drinking water from their health care providers. For more information about contaminants and potential health effects. or to receive a copy of the U.S. Environmental Protection Agency and the U.S. Centers for Disease Control guidelines on appropriate means to lessen the risk of infection by cryptosporidium and microbiological

contaminants, call the EPA

Safe Drinking Water Hotline

there's lead in your home's plumbing.

at 1-800-426-4791.

cancer undergoing chemotherapy, The treatment process consists of five steps – coagulation, sedimentation, filtration, corrosion control and disinfection. First, raw water from terminal reservoirs is drawn into mixing basins at our treatment plants, where we add

Coagulant

alum and polymer. ...

Representation of

a water treatment

Process

Sodium Hydroxide 4... Denver Water carefully monitors the amount of chlorine added to maintain quality of water at the farthest reaches of the system. Fluoride occurs naturally but is also added to treated water, and pH is maintained by adding alkaline substances to reduce corrosion in the distribution system and your home or business.

Water Storage

DENVER WATER TESTS a representative number of "high risk" homes for lead and copper under regulations requiring that 90 percent of samples be below the action level of 15 parts per billion for lead and 1.3 parts per million for copper. There is seldom any appreciable lead in these yearly tests. There is commonly a small amount of copper above the detection limit but substantially below maximum contaminant standards and action levels as indicated in this report. Call 303-628-6058 to obtain a Denver Water brochure about dangers of lead in drinking water and how to determine if

High water quality every step of the way

When you live in a semi-arid region and bring drinking water to more than a million people, you want to be certain there is enough to go around and that it is of the highest quality. That's a big job for Denver Water's 1,000 employees.

The department's goal always has been to produce a safe. dependable water supply and deliver it to metro homes and businesses at the lowest possible cost. Denver Water has been treating and testing ... That causes small particles to

2... That causes sman parties 2... adhere to one another, making them heavy enough to settle into a basin from which sediment is removed. The water is then filtered occulation through layers of fine, granulated material, either sand, coal or both. depending on the treatment plant. ... Polymer Fluoride Filter Disinfection

> 3... As smaller, suspended particles are removed, turbidity diminishes and clear water emerges. Finally, as protection against any bacteria and viruses that might remain, chlorine and ammonia are added before the water flows to underground reservoirs throughout the metro distribution system and into your home or business. ...

the quality of its water since inception, and our findings always have been made available to the public.

This report is our annual summary of where your water comes from, what's in it, and how we treat. protect and deliver drinking water - and how it compares to federal and state regulations. Denver Water's record remains unblemished: We're pleased to report that we've never violated a health standard.

All the department's facilities are under strict security. and we monitor

Denver's water supply from start to finish. Analysts regularly take test samples at many remote sites and our caretakers watch over mountain sources to head off any problems long before they reach treatment plants in the city. Our Water Quality Lab keeps an eye on quality through both its field staff and data sent from 15 automated monitoring stations throughout the metro area. The Lab in 2001 conducted 34,000 tests from 10,000 samples. Denver Water treated 81 billion gallons of water last year, an average of 222 million gallons daily.

El presente informe contiene información muy importante relacionada con el agua potable. Si quiere esta información en español, llame al 303-628-5986.

TREATED WATER QUALITY ROUNDUP

Quality assurance

Last year, the Water **Ouality Lab at Mar**ston, key to our quality assurance program, ran 34.000 tests from 10,000 samples while looking for more than 200 possible contaminants, many of which aren't regulated or detected. As the charts on this page reflect, very few of these substances were found in the city's treated water, all were well below allowed levels and none represents a health concern. For a full list of Denver Water's test results, call 303-628-5996.

	REC	GULATE	D AT T	HE TR	EATME	NT PLAN	T	
Substance	Violation	Sampling Period	MCLG*	MCL*	Denver Water's Average	Range of Detections	Sources of Substances	
Metals Barium in parts per million (ppm)	No	Monthly	2	2	n/d¹	n/d - 0.2	Erosion of natural deposits; discharge of drilling wastes	
Radiological Beta emitters in picoCuries per liter (pCi/L)	No	Quarterly	0	(4mrem/yr) 50	2	n/d - 4	Decay of natural and man-made deposits	
Alpha emitters in pCVL	No	Quarterly	0	15	2	n/d - 2	Erosion of natural deposits	
Uranium in parts per billion (ppb)	No	Quarterly	n/a²	30³	0.8	n/d - 1.6	Erosion of natural deposits	
General Fluoride in ppm	No	Monthly	4	4	0.84	0.22 - 1.20	Erosion of natural deposits; water additive that promotes strong teeth	
Nitrate in ppm	No	Monthly	10	10	0.09	n/d - 0.21	Erosion of natural deposits; fertilizer; leaching from septic tanks, sewage	
Chloramine as Cl ₂ in ppm	No	Daily	4	44	1.51	1.02 - 1.86	Drinking water disinfectant	
Total Organic Carbon in ppm	No	Monthly	n/a	TT 5	1.3	0.8 - 2.2	Naturally present in the environment	
Turbidity in Nephalometric Turbidity Units ⁶	No	Daily	n/a	TT	Highest Level/2001 0.107	Monthly samples less than 0.5 NTU 100%	Soil runoff	

^{*}MCLG and MCL: Maximum Contaminant Level Goal and Maximum Contaminant Level.

Non-detect: Laboratory analysis indicates that the constituent was not present.

Not applicable.

Effective December 2003.

Maximum Residual Disinfectant Level: Highest level of a disinfectant allowed in drinking water. There is convincing

evidence that addition of a disinfectant is necessary for control of microbial contaminants. ⁵ Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water. ⁶ Turbidity is expressed in Nephalometric Turbidity Units (NTUs). ⁷ Must be less than 0.5 in 95% of monthly samples.

UNREGULATED CONTAMINANTS

Substance	MCLG	MCL	Denver's Water	Range of Detections	Sampling Period	Violation	Sources of Substances
Organics Bromodichioromethane in ppb	This group was		Averages 5.9	0.6 - 12.4	Monthly	No	Component of TTHM, by-product
Bromoform in ppb	tested at	s part of the	n/d	n/d - 1.9	Monthly	No	of drinking water chlorination (See chart below)
Chlorodibromomethane in ppb	THE RESERVE TO SERVE THE PARTY OF THE PARTY	Rule (ICR).	1.4	n/d - 3.4	Monthly	No	
Chloroform in ppb	The anal	yses for the	16.4	4.4 - 38.2	Monthly	No	
Chloral hydrate in ppb	THE RESIDENCE OF THE PARTY OF T	re done to ormation on	1.2	0.4 - 3.3	Monthly	No	
Chloropicrin in ppb		by-products	n/d	n/d - 0.9	Monthly	No	
Cyanogen chloride in ppb	of disinfection. Potential health effects of these compounds are not completely		3.2	1.7 - 4.7	Annually	No	By-product of drinking water chiorination
Haloacetonitriles (HAN) in ppb			1.4	0.7 - 2.5	Monthly	No	
Haloketones (HK) in ppb			1.5	1.1 - 2.9	Monthly	No	
Total organic halides (TOX) in ppb			111	60 - 212	Monthly	No	
Inorganics Sulfate in ppm	250	250 (SMCL) ²	43.1	14.0 - 71.1	Monthly	No	Naturally present in the
Sodium in ppm	n/a	n/a	14.3	5.4 - 24.0	Monthly	No	environment)

¹ Unregulated compounds are analyzed for consideration for future regulation. ² Secondary Maximum Contaminant Level is a recommended level and is not enforceable.

Crypto & Giardia

Denver Water has tested for Cryptosporidium and Giardia in both raw and treated water for more than 15 years and has never detected a viable indication of either in drinking water.

Crypto and Giardia are microscopic organisms that, when ingested, can result in diarrhea, cramps, fever and other gastrointestinal symptoms.

Most people readily recover from the symptoms, which can cause more serious illness in people with compromised immune systems. The organisms are in many of Colorado's rivers and streams and come from animal wastes in the watershed. Crypto and Giardia are removed by effective filtration at the plant. Disinfectants also kill Giardia.

Turbidity clarified

The water department's goal is to bring its customers drinking water in abundant supplies that is not only clean and safe but that's also aesthetically pleasing. That means that when you turn on your tap, the water that flows looks good, tastes good and is good. Water that lacks clarity indicates higher turbidity levels, and while turbidity itself isn't a health hazard, it can provide the environment for contaminants that are. We use turbidity as a test to measure the relative clarity of drinking water. As you can see from the table at the top of this page. Denver Water's treatment processes result in clarity of its water far better than the regulated standard set and administered by state and federal agencies. Impurities and suspended matter such as silt, decaying plant particles, air bubbles and high iron concentrations in household plumbing cause turbidity. While some of these particles might provide "food" for bacteria, others can establish "shelter" for microbes by reducing their exposure to disinfectants. Both lower bacterial counts and the incidences of waterborne disease are related to effective filtration at the treatment plant. In recent years, regulations for lower turbidity have been strengthened, resulting in increased safety of drinking water supplies.

REGULATED AT THE CUSTOMER'S TAP

Substance	Violation	MCLG	Action Level 1	No. Samples Exceeding AL	90th Percentile Value	Sampling Period	Sources of Substances	
Inorganics Lead in ppb	No	0	At the 90th Percentile 15	1 out of 51	7	Yearly	Corrosion of household	
Copper in ppm	No	1.3	1.3	0 out of 51	0.21	Yearly	plumbing	

Lead isn't found in Denver's treated water. However, it might be present in a home's or business's plumbing. Action Level: Concentration of a contaminant that, when exceeded, triggers treatment or other requirements that a water system must follow.

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home might be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you might wish to have your water

tested and to flush your tap for 30 seconds to two minutes before using tap water. (Always use cold tap water for food and beverage preparation. Hot tap water can leach higher amounts of lead and other metals from plumbing or hot water tank.) Additional information is available from the U.S. Environmental Protection Agency's Safe Drinking Water Hotline at 800-426-4791.

El presente informe contiene información muy importante relacionada con el agua potable. Si quiere esta información en español, llame al 303-628-5986.

REGULATED IN THE DISTRIBUTION SYSTEM

Sources Denver's | Range MCLG MCL Water of Detections Substance Period of Substances Organic Disinfection By-Product (DBP) Total Trihalomethanes1 (TTHM) in ppb No Quarterly 18 - 33Haloacetic acids2 (HAA5) in ppb 6 - 35 No Quarterh rally present in 9 positive detects out of Total Coliform^a in percent positive/month No Daily 5.227 samples, or 0.17% environment

¹Total Trihalomethanes: By-products of the disinfection process that are will be based on a running annual average potential cancer risks at levels at or beyond regulated levels over long. Coliform is naturally present in the environ periods of time. Regulations require that each be reported by running solutions. However, it is an indicator that potentially han annual averages. Averages are calculated quarterly at each treatment present. Less than 5% positive in any month plant and other sites. 2 Effective Jan. 1, 2002, Compliance for HAA5's

single value. Total ased on a running annual average and Isn't harmful ul bacteria might be

The Glossary

CONTAMINANT: A potentially harmful physical, biological, chemical or radiological substance. MAXIMUM CONTAMINANT LEVEL (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the Maximum Contaminant Level Goal as feasible using the best available treatment technology.

MAXIMUM CONTAMINANT LEVEL GOAL (MCLG):

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

PARTS PER MILLION (PPM): Equivalent to milligrams per liter. One ppm is comparable to one drop of water in 55 gallons.

PARTS PER BILLION (PPB): One ppb is equivalent to one drop of water in 55,000 gallons.

PICOCURIES PER LITER (pCi/L) & 4MREMS/YR: Measures of radioactivity.

Sources of Denver's Water Continental Divide Colorado River Cources of the our water are the South Platte River and its tributaries, the streams that feed Dillon Reservoir and the Ocreeks and canals above the Fraser River. Mountain water is stored in six reservoirs - Antero, Eleven Mile, Cheesman, Dillon, Williams Fork and Gross - before it is sent to three treatment plants in the city. Prior to treatment, the water flows into three "terminal" reservoirs where access is limited to further ensure the quality of the water 11(0)115 3 4(0)1 Gross eservoir Reservoir South Boulder **Diversion Dam** asquez Tunnel **Gumlick Tunnel** Ralston Reservoir reatment Foothills Strontia Springs Treatment Plant Reservo enver's drinking water comes from rivers, Jakes, streams, reservoirs and springs fed Sunne by high-quality mountain snow runoff. The water comes entirely from surface sources over a watershed that covers 3,100 square miles on both sides of the Continental Divide. The outh Platte farthest reaches of this system are more than Continental Divide Cheesman 105 miles away, and the water is diverted and delivered to our treatment plants by gravity Reservoi through a complex system of streams, canals and pipes. Even though the water originates in pristine areas in the mountains, our strict quality control includes watershed protection. Denver Water employees who live and work throughout our watershed maintain continual surveillance of the water supply, Antero BILLING INFORMATION: 303-893-2444 Reservoir ALL OTHER OFFICES (also 24-hour emergency): 303-628-6000 En enspañol: al teléfono 303-628-5986. Eleven-Mile Water quality questions: call Customer Service at Canyon Reservoir 303-893-2444. The Denver Board of Water Commissioners meets at Yenver Water's three treatment plants - Footbills, Marston and Wolfat - are 9:15 a.m. on the first and third Wednesday of each evaluated and upgraded to stay abreast of advancements in technology and governmental contains month at Denver Water, 1600 W. 12th Ave. Board After treatment, drinking water is fed by both gravity and pumps to a system of underground, clear-water sessions are open to the public. reservoirs and then to your home or business. Cince it gets to the metro area, some 2,500 miles of pipe carry

water to Denver Water customers.